



MDG RENOVATIONS

PITTINGER RESIDENCE (MASTER)

7/27/2026

IMMERSE CONTACT: ANNE KELLEHER

ANNE@IMMERSESTL.COM

314.375.1500

836 HANLEY INDUSTRIAL COURT

BRENTWOOD, MO 63144

S1672705

NOTE: NOT RESPONSIBLE FOR ANY CHANGES TO THE SPECS AFTER THE DATE ABOVE.

Terms & Conditions (Trades)



immerse™ OUR ROLE:

- Immerse sells products to the design, architectural, plumbing, and building trades.
- We love design and assisting with the selection process. We rely on layouts, plans, and/or measurements from on-site professionals. Final product choices are up to the client.

KNOW WHAT YOU ARE BUYING, BEFORE YOU BUY:



- We pride ourselves in educating our clients as thoroughly as possible throughout the entire process, and we ask you to do the same with your clients.
- Most items require specific cleaning and maintenance. Be sure to inquire about final selections and encourage your clients to read and save manuals. Correct and responsible care will preserve the beauty and longevity of your products.

PRODUCT IMAGES & SPECS:



- We are happy to build a custom specification for your project. Once you commit to work with us, we will provide model numbers, photo books, and specifications.

QUOTE APPROVAL & ORDERING:



- It is your responsibility to review your bid to verify accuracy, finishes, and quantities.
- Special order items may be non-returnable, non-cancellable, and/or warrant re-stock fees.
- A signed purchase order or written confirmation of the final bid is necessary for us to order your material from our vendors. Verbal orders are not sufficient.

DEPOSIT, PRICING, & PAYMENT:



- Bid pricing is good for 30 days.
- COD accounts require payment in full, prior to us ordering your material.
- Any miscellaneous balances (extra freight charges) are due prior to delivery.
- Once paid, we can hold an order for up to 90 days.

LEAD TIMES & DELAYS:



- Immerse is a distributor. We do our best to communicate manufacturer production schedules and lead times. All ship dates are estimated and subject to change.
- Please inspect products within 5 days of receipt for accuracy or defects (unless otherwise noted).

DELIVERIES & MERCHANDISE RECEIPT:



- Immerse offers complimentary curbside delivery to jobsites within our local area. Nonlocal orders require a delivery fee.
- Signature is required upon delivery. Missed deliveries may be subject to a re-delivery fee.
- Oversize items may require on-site assistance as our drivers travel alone. We will pre-arrange these deliveries with you.
- Visible damage or shortages should be noted at time of delivery. Clients have 5 business days to report any damages or shortages.

INSTALLATION:



- Products must be inspected prior to installation. Installed merchandise of any kind is non-returnable and non-refundable.
- On-site installers are responsible for reading and matching delivery paperwork with the appropriate products and part numbers prior to installation.
- Immerse does not sell installation services and is not liable for installation defects or damage.

RETURNS & CANCELLATIONS:



- Special order products cannot be returned or canceled. Please review your quote for such items.
- Non-special order returns are subject to approval and restock/return fees plus shipping.
- Credit will be issued based on receipt and inspection

WARRANTY & LIMITATIONS OF LIABILITY:



- All goods sold shall be warranted by each individual manufacturer.
- Immerse shall not be liable to the purchaser or any other party in an amount exceeding the net purchase price of the goods. Most manufacturers do not cover labor.

ACCOUNT NAME

SIGNATURE

DATE

THANK YOU FOR YOUR BUSINESS!

CARE & CLEANING INSTRUCTIONS

CARE OF POLISHED NICKEL AND CHROME

Water conditions vary across the country. Chemicals and minerals in the water and air can combine to have an adverse effect on the finish of your fixtures. In addition, polished nickel shares similar characteristics and appearance with sterling silver and a slight tarnishing is normal.

We recommend that you rinse away any traces of soap and gently dry with a clean, soft cloth after each use. This care will maintain the high gloss finish of your fixtures and avoid water spotting.

An occasional application of a pure, non-abrasive wax like Flitz Faucet Wax is helpful in preventing water spot build-up. Light buffing with a soft cloth will produce a high luster.

To remove water spots and tarnishing, apply a small amount of Flitz polish, Simichrome or Gagnon's Sx to the fixture; rub briskly; wipe clean with a clean, soft cloth. Some of these products leave a protective film to retard oxidation.

NOTE: DONOTUSEABRASIVECLEANERSORSOLVENTS

CARE OF BRUSHED NICKEL, ANTIQUE COPPER, GUNMETAL, BRONZE, ANTIQUE SILVER, BLACK NICKEL, WEATHERED BRONZE AND MATTE GOLD PLATED FIXTURES

While luxury finishes plate to a greater thickness and higher quality than standard finishes, they are still jewelry finishes and require special maintenance.

Water conditions vary across the country. Chemicals and minerals in the water and air can combine to have an adverse effect on the finish of your fixtures.

We recommend that you rinse away any traces of soap and gently dry with a clean soft cloth after each use. This care will maintain the high gloss finish of your fixtures and avoid water spotting.

An occasional application of a pure, non-abrasive wax is helpful in preventing water spot build-up and light buffing with a soft cloth will produce a high luster. **Do not allow materials such as toothpaste, nail polish remover, or caustic drain cleaners to remain on the surface.**

Over time, with constant cleaning, the surface of your fixture may begin to show wear. The wear will take the form of faint lines in the highly polished surface.

CARE OF UNLACQUERED BRASS

Unlacquered brass is a true living finish that will change over time. **It is guaranteed to tarnish.** It can be polished with Flitz Polish to return it to its original shine, followed by applying a non abrasive wax like Flitz Faucet Wax. Wipe dry after each use to help prevent water spotting. If "shiny" is the desired look, a great deal of maintenance is necessary.

NOTE: DO NOT USE ABRASIVE CLEANERS OR SOLVENTS




Table of Contents

VENDOR PART	VENDOR	DESCRIPTION	PAGE
PRIMARY			
PRIMARY Collective Images			6
AELS40-12N	WaterWorks	Aero Gooseneck Lavatory Faucet With Cross Handles - Nickel	11
UM-18x12-W	Nantucket Sinks	Great Point 18" X 12" Undermount Ceramic Sink - White	14
K-28214-SN	Kohler	Anthem Digital Control - Vibrant Polished Nickel	16
K-28213-SN	Kohler	Anthem Remote On / Off Button For Digital Thermostatic Valve - Vibrant Polished Nickel	20
K-28209-NA	Kohler	Anthem Two Port Digital Thermostatic Valve	24
USH305-18N	WaterWorks	5" Showerhead With Adjustable Spray - Nickel	28
UTWL08-N	WaterWorks	Transitional 8" Wall Mounted 45 Degree Shower Arm With Flange - Nickel	31
TS1422NL	Moen	Mosaic Body Spray - Polished Nickel	34
S1300	Moen	Body Spray Rough-In	36
4-1624BP-15	Newport Brass	Miro Balanced Pressure Shower Trim Plate With Handle, Less Showerhead, Arm And Flange - Polished Nickel	38
1-684	Newport Brass	Balanced Pressure Shower Trim Valve	41
9424S-34-PN	California Faucets	Cardiff 24" Grab Bar with Slide - Polished Nickel	44
HS-073.25-PN	California Faucets	Traditional 4 1/8" Brass Multi Function Handshower - Polished Nickel	46
SH-10-42-PN	California Faucets	Supply Elbow, Line Base - Polished Nickel	48
HS-68-PN	California Faucets	68" Brass Hose for Handshower - Polished Nickel	50
MS8732CUMFG#0 1S	Toto	Neorest Ls Dual Flush 1.0 Or 0.8 Gf Integrated Bidet Toilet - Cotton / Silver	52

3229224-68	Kartners	Florence 24" Grab Bar - Polished Nickel	55
322158P-68	Kartners	Florence Pivot Toilet Paper Holder - Polished Nickel	57
322180-68	Kartners	Florence 18" Bathroom Towel Bar - Polished Nickel	59
322132-68	Kartners	Florence Double Prong Robe Hook - Polished Nickel	61
POWDER			
POWDER Collective Images			64
HLS203-12N	WaterWorks	Henry Gooseneck Lavatory Faucet With Coin Edge Cross Handles - Nickel	67
GB-18x12-W	Nantucket Sinks	Great Point 18" X 12" Glazed Bottom Undermount Rectangle Ceramic Sink - White	70
251XXL-PN	Jaclo	1 ¼" Extra Long P Trap with Round Box Escutcheon - Polished Nickel	72
621-62CT-PN	Jaclo	Quarter Turn Angle Pattern 5/8" O.D. Compression x 3/8" O.D. Faucet Supply Kit Standard Cross Handle, 20" Supply Tubes, Cover Tubes, Escutcheons - Polished Nickel	74
2851A104.020	American Standard	Town Square S One Piece 1.28 Gpf / 4.8 Lpf Chair Height Elongated Toilet With Seat - White	76
9145-PN	Jaclo	Toilet Tank Trip Lever to Fit PORCHER & AMERICAN STANDARD - Polished Nickel	78
621-72CT-PN	Jaclo	Quarter Turn Angle Pattern 5/8" O.D. Compression x 3/8" O.D. Toilet Supply Kit Standard Cross Handle, 20" Supply Tube Cover Tube, Escutcheon - Polished Nickel	80
224151-68	Kartners	Windsor Toilet Paper Holder - Polished Nickel	82
224130-68	Kartners	Windsor Robe Hook - Polished Nickel	84

VENDOR PART	VENDOR	DESCRIPTION	PAGE
AELS40-12N	WaterWorks	Aero Gooseneck Lavatory Faucet With Cross Handles - Nickel	11
UM-18x12-W	Nantucket Sinks	Great Point 18" X 12" Undermount Ceramic Sink - White	14
K-28214-SN	Kohler	Anthem Digital Control - Vibrant Polished Nickel	16
K-28213-SN	Kohler	Anthem Remote On / Off Button For Digital Thermostatic Valve - Vibrant Polished Nickel	20
K-28209-NA	Kohler	Anthem Two Port Digital Thermostatic Valve	24
USH305-18N	WaterWorks	5" Showerhead With Adjustable Spray - Nickel	28
UTWL08-N	WaterWorks	Transitional 8" Wall Mounted 45 Degree Shower Arm With Flange - Nickel	31
TS1422NL	Moen	Mosaic Body Spray - Polished Nickel	34
S1300	Moen	Body Spray Rough-In	36
4-1624BP-15	Newport Brass	Miro Balanced Pressure Shower Trim Plate With Handle, Less Showerhead, Arm And Flange - Polished Nickel	38
1-684	Newport Brass	Balanced Pressure Shower Trim Valve	41
9424S-34-PN	California Faucets	Cardiff 24" Grab Bar with Slide - Polished Nickel	44
HS-073.25-PN	California Faucets	Traditional 4 1/8" Brass Multi Function Handshower - Polished Nickel	46
SH-10-42-PN	California Faucets	Supply Elbow, Line Base - Polished Nickel	48
HS-68-PN	California Faucets	68" Brass Hose for Handshower - Polished Nickel	50
MS8732CUMFG#01S	Toto	Neorest Ls Dual Flush 1.0 Or 0.8 Gf Integrated Bidet Toilet - Cotton / Silver	52
3229224-68	Kartners	Florence 24" Grab Bar - Polished Nickel	55
322158P-68	Kartners	Florence Pivot Toilet Paper Holder - Polished Nickel	57
322180-68	Kartners	Florence 18" Bathroom Towel Bar - Polished Nickel	59

322132-68

Kartners

Florence Double Prong Robe Hook -
Polished Nickel

61



WATERWORKS - 2 QTY
Aero Gooseneck Lavatory Faucet With Cross Handles - Nickel
MODEL #: AELS40-12N



NANTUCKET SINKS - 2 QTY
Great Point 18" X 12" Undermount Ceramic Sink - White
MODEL #: UM-18x12-W



KOHLER
Anthem Digital Control - Vibrant Polished Nickel
MODEL #: K-28214-SN



KOHLER
Anthem Remote On / Off Button For Digital Thermostatic Valve - Vibrant Polished Nickel
MODEL #: K-28213-SN



KOHLER

Anthem Two Port Digital Thermostatic Valve

MODEL #: K-28209-NA



WATERWORKS

5" Showerhead With Adjustable Spray - Nickel

MODEL #: USH305-18N



WATERWORKS

Transitional 8" Wall Mounted 45 Degree Shower Arm With Flange - Nickel

MODEL #: UTWL08-N



MOEN - 3 QTY

Mosaic Body Spray - Polished Nickel

MODEL #: TS1422NL



MOEN - 3 QTY
Body Spray Rough-In
MODEL #: S1300



NEWPORT BRASS (FOR HANDSHOWER)
Miro Balanced Pressure Shower Trim Plate With
Handle, Less Showerhead, Arm And Flange -
Polished Nickel
MODEL #: 4-1624BP-15



NEWPORT BRASS
Balanced Pressure Shower Trim Valve
MODEL #: 1-684



CALIFORNIA FAUCETS
Cardiff 24" Grab Bar with Slide - Polished Nickel
MODEL #: 9424S-34-PN



CALIFORNIA FAUCETS
Traditional 4 1/8" Brass Multi Function
Handshower - Polished Nickel
MODEL #: HS-073.25-PN



CALIFORNIA FAUCETS
Supply Elbow, Line Base - Polished Nickel
MODEL #: SH-10-42-PN



CALIFORNIA FAUCETS
68" Brass Hose for Handshower - Polished
Nickel
MODEL #: HS-68-PN



TOTO
Neorest Ls Dual Flush 1.0 Or 0.8 Gf Integrated
Bidet Toilet - Cotton / Silver
MODEL #: MS8732CUMFG#01S



KARTNERS
Florence 24" Grab Bar - Polished Nickel
MODEL #: 3229224-68



KARTNERS
Florence Pivot Toilet Paper Holder - Polished Nickel
MODEL #: 322158P-68



KARTNERS
Florence 18" Bathroom Towel Bar - Polished Nickel
MODEL #: 322180-68



KARTNERS - 5 QTY
Florence Double Prong Robe Hook - Polished Nickel
MODEL #: 322132-68



2 QTY

POLISHED NICKEL

WATERWORKS

AERO

Aero Gooseneck Three Hole Deck Mounted Lavatory Faucet with Metal Cross Handles

AELS40



SHOWN IN AERO GOOSENECK THREE HOLE DECK MOUNTED LAVATORY FAUCET WITH METAL CROSS HANDLES | AELS40

TECHNICAL DETAILS

Deck Thickness Maximum: 1 9/16"
Deck Thickness Minimum: 1/4"
Depth/Width: 7 3/4"
Drain Depth Maximum: 2 5/8"
Drain Hole Diameter: 1 3/4"
Drain Style: Push Touch
Fittings Hole Diameter: 1 3/8"
Handle Spread Maximum: 12"
Handle Spread Minimum: 8"
Handle Turn Angle: Quarter Turn
Height: 8 7/8"
Inlet Connection Size: 1/2"
Inlet Connection Type: Male with Supply Nut
Restricted Maximum Flow Rate: 1.2 gpm
Valve Material: Ceramic
Water Pressure Maximum: 80.0 psi
Water Pressure Minimum: 25.0 psi
Water Pressure Recommended: 45.0 psi

INSPIRATION

Inspired by vintage telescope details, Aero combines old-world charm with modern edge. These original, enduring pieces have the rare quality of feeling collected and curated – and work beautifully whether your style leans traditional or contemporary.

CODES & STANDARDS

NSF/ANSI/CAN 61:Q < 1, NSF/ANSI/CAN 372, CEC, State of MA

PRODUCT FEATURES

- Metal cross handles
- Includes European size push touch drain
- Features signature stepped and gadrooned details on escutcheons and edge of spout
- Stocked in Chrome and Nickel
- Available in 1.2gpm (4.5L/min) flow rate

CERTIFICATIONS


PRODUCT (NOTES)

WATERWORKS

AERO

AELS40

Aero Gooseneck Three Hole Deck Mounted Lavatory Faucet
with Metal Cross Handles







WHITE

2 QTY

Great Point Collection
Vitreous China Bath Undermount Sinks



MODEL:
UM-18x12-W



Overall Dimensions	Large Bowl	Interior Depth	Exterior Depth	Reverse Model
20.5 x 14.25"	18.375 x 12.25"	6.75"	8"	NA

FEATURES

- Nominal Dimensions - actual may vary by 1/4"
- Template not included - custom template required
- Vitreous China undermount with porcelain enamel glaze
- Limited Manufacturers Warranty
- With Overflow



PROJECT/ NAME:

ARCHITECT/CONTRACTOR:

MODEL:

JOB NOTES:



KOHLER®

Anthem® | K-28214

Digital control

Features

- Digital control with easy-to-read icons and configurable touch screen
- Control temperature, flow, and up to six shower outlets from a simple, intuitive interface
- Turn the large KOHLER® dial for easy temperature and flow rate adjustment
- Nine user-definable presets let you save your favorite shower settings
- Use with the KOHLER Connect® app to unlock additional Anthem system features, Kohler-developed experiences, and system updates
- System warm-up and pause feature
- Includes optional flow restrictor, limiting total flow to 1.75 gpm (6.6 lpm), for installations where water conservation or CEC compliance is desired
- Features multiple language options
- Connect up to two controls within your digital shower system
- Requires an Anthem digital thermostatic valve (K-28209, K-28210, K-28211 or K-28212); sold separately
- Pair with optional Anthem remote on/off button; sold separately



Available Colors/Finishes

Color tiles intended for reference only.

CP	Polished Chrome
SN	Vibrant Polished Nickel
AF	Vibrant French Gold
BN	Vibrant Brushed Nickel
BV	Vibrant Brushed Bronze
BL	Matte Black
2MB	Vibrant Brushed Moderne Brass
TT	Vibrant Titanium
BGP	Vibrant Brushed Graphite



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER®**

KOHLER

Anthem® | K-28214

Digital control

Codes/Standards

UL 1951
CSA C22.2 No. 68

Valves

Included Valves: Digital, Thermostatic

Material

- Premium material construction for durability and reliability

Recommended Products/Accessories

K-28213 Remote on/off button for digital thermostatic valve

Required Products/Accessories

- K-28209 Two-port digital thermostatic valve

or

- K-28210 Three-port digital thermostatic valve

or

- K-28211 Four-port digital thermostatic valve

or

- K-28212 Six-port digital thermostatic valve

Warranty

See website for detailed warranty information.

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited
Warranty




1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER**

KOHLER

Anthem® | K-28214

Digital control



Installation

- After digital control is connected to valve and power source, follow on-screen prompts for easy setup; no Internet needed
- Wall-mount

Installation Notes

Install this product according to the installation instructions.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER**




KOHLER®

Anthem® | K-28213

Remote on/off button for digital thermostatic valve

Features

- Acts as an auxiliary control for the Anthem digital shower system
- Pairs with your digital thermostatic valve using BLUETOOTH® wireless technology
- Provides simple on/off actuation of shower outlets
- Sleek, minimalist design



Available Colors/Finishes

Color tiles intended for reference only.

CP	Polished Chrome
SN	Vibrant Polished Nickel
AF	Vibrant French Gold
BN	Vibrant Brushed Nickel
BV	Vibrant Brushed Bronze
BL	Matte Black
2MB	Vibrant Brushed Moderne Brass
TT	Vibrant Titanium
BGP	Vibrant Brushed Graphite



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER®**

KOHLER

Anthem® | K-28213

Remote on/off button for digital thermostatic valve

Codes/Standards

ADA compliant when installed to the specific requirements of these regulations.

ADA

ADA
ICC/ANSI A117.1

Valves

Included Valves: Digital, Thermostatic

Required Products/Accessories

- K-28209 Two-port digital thermostatic valve
- K-28214 Digital control

or

- K-28210 Three-port digital thermostatic valve
- K-28214 Digital control

or

- K-28211 Four-port digital thermostatic valve
- K-28214 Digital control

or

- K-28214 Digital control
- K-28212 Six-port digital thermostatic valve

Connectivity



The BLUETOOTH® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Kohler Co. is under license.

Warranty

See website for detailed warranty information.

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER**

KOHLER

Anthem® | K-28213

Remote on/off button for digital thermostatic valve



Installation

- Wall-mount
- Intended for outside of showering space
- Requires Anthem digital valve and Anthem digital control, each sold separately

Installation Notes

Install this product according to the installation instructions.

ADA compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER**



KOHLER®

Anthem® | K-28209

Two-port digital thermostatic valve

Features

- Digitally controlled thermostatic mixing valve
- Antiscald protection
- Built-in temperature and flow control
- Selecting "low flow" mode on setup limits total flow to 1.75 gpm (6.6 lpm) for installations where water conservation or CEC-compliance is desired
- Use with the KOHLER Connect® app to unlock additional Anthem system features, Kohler-developed experiences, and system updates
- Up to 12 gpm (45.4 lpm) flow rate at 45 psi (3.1 bar) with maximum flow of 9.5 gpm (36 lpm) from one outlet
- Two independently controllable 1/2" (13 mm) outlets with brass tube connections
- 1/2" (13 mm) inlets with brass tube connections



Available Colors/Finishes

Color tiles intended for reference only.

^{NA} NA Not Applicable



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER®**

KOHLER

Anthem® | K-28209
Two-port digital thermostatic valve

Codes/Standards

ASME A112.18.1/CSA B125.1
ASSE 1016/ASME A112.1016/CSA B125.16
UL 1951
CSA C22.2 No. 14
CSA C22.2 No. 68
cUL Listed
UL Listed

Valves

Included Valves: Digital, Thermostatic Mixer, Volume Control

Shower Valve

Flow Rate Maximum @ 45 psi: 12 gpm (45.4 l/min)
Manufacturer's Minimum Rated Flow: 0.9 gpm (3.4 l/min)
Pressure: 45 psi (3.1 bar)
Maximum Static Pressure: 125 psi (8.6 bar)
Minimum Operating Pressure: 15 psi (1 bar)

Pressure/Fixture Supply Requirements

Minimum Flowing Pressure: 15 psi (103.4 kPa)
Minimum Flow Rate: 0.9 gpm (3.4 l/min)

Material

- Reinforced engineering-grade thermoplastic body

Required Products/Accessories

- K-28214 Digital control
- or
- K-36364 Two-outlet shower digital control
- or
- K-37930 Two-outlet bath/shower digital control

Connectivity



The BLUETOOTH® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Kohler Co. is under license.

Amazon, Alexa and all related logos are trademarks of Amazon, Inc. or its affiliates.

Google, Google Home and Google Play are trademarks of Google LLC.

Required Electrical Service

One circuit required, protected with Class A Ground-Fault Circuit-Interrupter (GFCI). Outside North America, this device may be known as a Residual Current Device (RCD).

Thermostatic valve: 120 V, 1 A, 60 Hz

Electrical Component Ratings

Thermostatic valve: 120 V, 1 A, 60 Hz
Cables: Data: 32 ft. (9.8 m)

Warranty


See website for detailed warranty information.

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited Warranty



KOHLER

Anthem® | K-28209
Two-port digital thermostatic valve



Installation

- Mounts within standard 2" x 4" (38 x 102 mm) walls
- Install valve approximately 32' (9754 mm) away from the digital control (cable supplied with control)
- Prewired with two-prong plug for connection to 120 V GFCI receptacle
- After digital control is connected to valve and power source, follow on-screen prompts for easy setup; no Internet needed. (Digital control sold separately)

Installation Notes

Install this product according to the installation instructions.

Ports should be tied together in the event a port is not utilized. Do NOT cap any port.
For use with showerheads or handsprays rated at 0.9 gal/min (3.4 l/min) or higher.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 19:56 - US-CA

THE BOLD LOOK
OF **KOHLER**



POLISHED NICKEL

WATERWORKS

UNIVERSAL

USH305

Universal Transitional 5" Showerhead with Adjustable Spray



SHOWN IN UNIVERSAL TRANSITIONAL 5" SHOWERHEAD WITH ADJUSTABLE SPRAY | USH305

TECHNICAL DETAILS

Adjustable Versus Fixed Spray: Adjustable Spray
Inlet Connection Size: 1/2"
Inlet Connection Type: Female NPT
Pivot: Y
Primary Material: Brass
Restricted Maximum Flow Rate: 1.75 gpm
Water Pressure Maximum: 85.0 psi
Water Pressure Minimum: 20.0 psi
Water Pressure Recommended: 45.0 psi

INSPIRATION

Featuring enduring designs that complement any Waterworks element, this collection spans fittings to accessories, bringing exquisite proportion and balance to any environment.

CODES & STANDARDS

USH305X, ASME A112.18.1/CSA B125.1, CEC(1.5GPM & 1.75GPM Only), DOE, State of MA

PRODUCT FEATURES

- Compatible with an assortment of Waterworks arms and flanges, sold separately
- Swiveling 8" rain showerhead
- Adjustable showerhead features three spray patterns
- Stocked in Brass, Chrome and Nickel
- Showerhead available in 1.75gpm (6.6L/min) flow rate

CERTIFICATIONS


PRODUCT (NOTES)

WATERWORKS

UNIVERSAL

USH305

Universal Transitional 5" Showerhead with Adjustable Spray





POLISHED NICKEL

WATERWORKS

UNIVERSAL

UTWL08

Universal Transitional 8" Wall Mounted 45 Degree Shower Arm with Flange



SHOWN IN UNIVERSAL TRANSITIONAL 8" WALL MOUNTED 45 DEGREE SHOWER ARM WITH FLANGE | UTWL08

TECHNICAL DETAILS

Fittings Hole Diameter: 1 1/4"
Inlet Connection Size: 1/2"
Inlet Connection Type: Male NPT
Outlet Connection Size: 1/2"
Outlet Connection Type: Male NPT
Water Pressure Recommended: 45.0 psi

INSPIRATION

Featuring enduring designs that complement any Waterworks element, this collection spans fittings to accessories, bringing exquisite proportion and balance to any environment.

CODES & STANDARDS

PRODUCT FEATURES

- Compatible with an assortment of Waterworks showerheads, sold separately
- Brass Construction
- Includes 8" wall mounted 45 degree shower arm
- Stocked in Chrome, Nickel and Brass

CERTIFICATIONS


PRODUCT (NOTES)

WATERWORKS

UNIVERSAL

UTWL08

Universal Transitional 8" Wall Mounted 45 Degree Shower
Arm with Flange





POLISHED NICKEL

3 QTY



Buy it for looks. Buy it for life.®

DESCRIPTION

- Two function spray with various finishes identified by suffix
- Full spray or targeted massage

OPERATION

- Spray face tilts 20 degrees in any direction

FLOW

- Designed to deliver 2.0 gpm max (7.6 L/min) at 80 psi


STANDARDS

- Third party certified to ASME A112.18.1/ CSA B125.1, and all applicable requirements referenced therein

WARRANTY

- Lifetime limited warranty against leaks and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations

Specifications





Two Function Body Spray

Models: TS1422 series

Rough-In: S1300

1" Extension Kit: 155656
(available separately)




CRITICAL DIMENSIONS

(DO NOT SCALE)

Rev. 6/15

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN
www.moen.com



3 QTY



Buy it for looks. Buy it for life.®

DESCRIPTION

- Metal construction
- 1/2" CC and IPS connections
- Includes mounting bracket and test plug


STANDARDS

- Third party certified to ASME A112.18.1/ CSA B125.1, and all applicable requirements referenced therein

WARRANTY


- Lifetime limited warranty against leaks to the original consumer purchaser
- 5 year warranty if used in commercial installations

Specifications



Body Spray Rough-In

Model: S1300



CRITICAL DIMENSIONS

(DO NOT SCALE)

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN
www.moen.com



NEWPORT BRASS

Flawless Beauty. From Faucet to Finish.™

MIRO

Features

- Solid brass construction
- Face plate with ADA compliant traditional lever handle
- ADA compliant traditional lever handle assembly for control valve
- Intended for use with Newport Brass rough valve(s) as specified (Required Accessory)
- ADA Compliant

Codes / Standards Compliance

Meets or exceeds the following at date of manufacture:

- ASME A112.18.1/CSA B125.1
- IAPMO/cUPC
- IPC
- ADA & ICC/ANSI A117.1
- All applicable US Federal and State material regulations

Colors / Finishes

- 10B: Oil Rubbed Bronze
- 15: Polished Nickel
- 15S: Satin Nickel - PVD
- 26: Polished Chrome

- Other: Refer to the Newport Brass catalog for additional color/finish options.

Tub or Shower Trim
(less tub spout or showerhead, arm or flange)

4-1624BP

Also 3-279L



4-1624BP



3-279L



Specified Model

Model	Description	Colors Finishes				
4-1624BP	Tub or Shower Trim (less tub spout or showerhead, arm or flange)	☐ 10B	☐ 15	☐ 15S	☐ 26	☐ Other
3-279L	Shower System Control Valve Trim (Escutcheon/Handle)	☐ 10B	☐ 15	☐ 15S	☐ 26	☐ Other

Required Accessory:

System Element	Shower (or Tub) Valve	Control Valve (Optional)
Description	BP Valve	3-Outlet Diverter
Inlet/Outlet Size	1/2"	1/2"
Part Number	☐ 1-684	☐ 1-703
Image		

Product Specification: Add size designator and "Color / Finish" suffix to Model number, below.

The single-control Tub or Shower Trim (less tub spout or showerhead, arm & flange) shall be made of solid brass construction. Tub or Shower Trim shall include faceplate with ADA compliant handle. Shower System Control Valve Trim(s) (Escutcheon/Handle) shall be ADA compliant when used with specified Shower System Control Valve. Tub or Shower Trim (less tub spout or showerhead, arm & flange) shall be Newport Brass Model 4-1624BP/_____ and single-control Tub or Shower rough valve shall be Newport Brass Model 1-684. [Optional Shower System Control Valve Trim (Escutcheon/Handle) shall be 3-279L/_____ and Shower System Control Valve shall be 1-703].


NEWPORT BRASS®

Flawless Beauty. From Faucet to Finish.™

4-1624BP

PRODUCT DIMENSIONS *(Units are in inches)*

Product Dimensions are provided for reference only. For specific product installation guidelines, please reference the Installation Instructions of the product being installed.



Miro Shower Trim 4-1624BP

Page 2 of 2 Spec_4-1624BP_e_4.22
EN-4493

t: 949.417.5207 | www.newportbrass.com
©2022 Brasstech, Inc.



NEWPORT BRASS

VALVES / MISC

BP SHOWER TRIM VALVE

1-684

Features


- Solid brass construction
- Provides anti-scald protection and temperature regulation
- Pressure-balancing technology maintains water temp. within +/- 3 degrees Fahrenheit
- High-temperature safety stop to control maximum temperature
- Integrated hot and cold inlet stops ensure easy cartridge access
- 1-1/16" functional depth (center-back) enables back-to-back installation
- Max handle rotational requirement of 150 degrees to achieve max temp setting
- Require Newport Brass BP valve trim (sold separately)



Codes / Standards Compliance

Meets or exceeds the following at date of manufacture:


- ASME A112.18.1/CSA B125.1
- IAPMO/cUPC
- IPC
- ASSE 1016/ASME A112.1016
- All applicable US Federal and State material regulations



NEWPORT BRASS

PRODUCT DIMENSIONS *(Units are in inches)*

Product Dimensions are provided for reference only. For specific product installation guidelines, please reference the Installation Instructions of the product being installed.



(MUD COVER IS HIDDEN IN ALL THE VIEWS)

BP SHOWER TRIM VALVE
1-684



POLISHED NICKEL



California Faucets®

Shower

Decorative Grab Bar with Slide

Features


- 25+ artisan finishes including 12 PVD finishes
- All brass construction
- Adjustable position slide with positive-lock swivel holder
- Accepts most conical handshower hoses
- Right or left handed based on installation
- 1-1/4" diameter bar
- Concealed mounting
- Mounting hardware included

Codes/Standards Applicable




Product meets or exceeds the following:

- ASME A112.18.1/CSA B125.1
- ADA compliant grab bar


9424S-34
9424S-35
9430S-34
9430S-35



9424S-34 shown



-35 holder dimensions



(8X) - #8 X 1-3/4" phillips head screw

Dimensions are inches, rounded to 1/16"
[Dimensions in brackets are mm, rounded to 1mm]

Specifications subject to change without notice

www.californiafaucets.com

Page 1

94XXS-34_sp_230801



POLISHED NICKEL



California Faucets®

Handshower

4-1/8" MULTI-FUNCTION TRADITIONAL HANDSHOWER

Features

- 1/2" MIP inlet
- 3 function handshower: rain, air, & massage
- Self cleaning rubber jets
- Brass body
- 4-1/8" diameter, gray face
- Replace .FR with desired max flow rate:
HS-073.25 for 2.5 gpm
HS-073.20 for 2.0 gpm
HS-073.18 for 1.8 gpm
- Over 28 finishes including 13 PVD finishes



Codes/Standards Applicable

Product meets or exceeds the following:

- ASME A112.18.1/CSA B125.1
- CEC (1.8 gpm)
- DOE (1.8, 2.0, & 2.5 gpm)
- Commonwealth of MA
- EPA WaterSense (2.0 gpm)



HS-073.18
HS-073.20
HS-073.25



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

ALL DIMENSIONS SHOWN TO NEAREST 1/16"
[ALL DIMENSIONS SHOWN TO NEAREST 1MM]

californiafaucets.com

Page 1

HS-073.FR_sp_201029



POLISHED NICKEL



California Faucets®

SHOWER

Handshower supply elbow

SH-10-42



Features

- Over 30 finishes including 14 PVD finishes
- Solid brass construction
- 1/2" NPT (female) inlet connection
- 1/2" NPSM (male) outlet connection

Codes/Standards Applicable

Meets or exceeds the following at date of manufacture:

- ASME A112.18.1/CSA B125.1



ALL DIMENSIONS SHOWN TO NEAREST 1/16"



POLISHED NICKEL



California Faucets®

Handshower

HANDSHOWER HOSE

Features

- 1/2" FIP inlet
- 1/2" FIP outlet
- Double spiral out hose for added strength
- Solid brass construction
- Over 30 finishes include 16 PVD finishes


Codes/Standards Applicable

Meets or exceeds the following at date of manufacture:

- ASME A112.18.1/CSA B125.1



HS-68



ALL DIMENSIONS SHOWN TO NEAREST 1/16"



WHITE W/SILVER TRIM

NEOREST®

MS8732CUMFG

NEOREST LS Dual Flush Toilet, 1.0 GPF / 0.8 GPF

FEATURES

- Sleek, low profile one-piece skirted Smart Bidet Toilet with integrated personal cleansing and comfort features
- Decorative metallic trim and matching remote control finish options: silver, nickel, or black
- Ultra high-efficiency dual flush functionality - 1.0 GPF / 0.8 GPF (3.8 LPF / 3.0 LPF)
- TORNADO FLUSH® System utilizes 360° cleaning power to reach every part of the hole-free rim design bowl
- Auto flush - with back-up manual flush for power outages
- Auto open/close lid
- PREMIST® automatically mists the bowl before each use
- CEFIONTECT® ceramic glaze minimizes waste from sticking to porous ceramic surfaces
- Gentle aerated, warm water, dual-action spray with oscillating and pulsating features
- Instantaneous water heater for continuous warm water and energy savings
- Adjustable spray position, water temperature, and water pressure
- EWATER+® auto-cleans wand, bowl, and under-seat after every use
- Heated seat with temperature control
- Seamless seat design eliminates the gap where dirt collects
- Warm air dryer with five variable temperature settings
- Automatic air deodorizer
- Automatic and programmable energy saving systems
- Multifunction ergonomic stick-style remote control
- 4-users' personalized memory settings
- Universal Height, ADA compliant
- Night light



- 1G ONE GALLON PER FLUSH
- CEFIONTECT
- EWATER+
- TORNADO FLUSH
- U UNIVERSAL HEIGHT

CODES/STANDARDS

- Meets and exceeds ASME A112.4.2, ASME A112.19.2/CSA B45.1, ASME A112.18.1/CSA B125.1, UL 1431, CSA C22.2 # 68
- Certifications: IAPMO(cUPC), State of Massachusetts, City of Los Angeles and others
- Code Compliance: UPC, IPC, NSPC, and others
- ADA Compliant
- Complies with CA Prop 65 warning requirements

COMPONENTS

- SN8732M#01S - Top Unit with Silver Trim
- SN8732M#01N - Top Unit with Nickel Trim
- SN8732M#01B - Top Unit with Black Trim
- CT8732CUMFG - Elongated Bowl Unit

COLORS/FINISHES

- #01S Cotton with Silver Trim
- #01N Cotton with Nickel Trim
- #01B Cotton with Black Trim

PRODUCT SPECIFICATION

The NEOREST LS with the TORNADO FLUSH system toilet shall be 1.0 GPF / 0.8 GPF (3.8 LPF / 3.0 LPF). Toilet shall have CEFIONTECT ceramic glaze and be at Universal Height. Toilet shall be of skirted design, elongated front bowl with auto open and close seat. Toilet shall be TOTO Model MS8732CUMFG#___.



CALGreen

MS8732CUMFG


NEOREST LS Dual Flush Toilet, 1.0 GPF / 0.8 GPF

SPECIFICATIONS

Water Use	1.0 GPF / 0.8 GPF (3.8 LPF / 3.0 LPF)
Flush System	TORNADO FLUSH
Water Pressure	Min: 7.25 PSI (0.05MPa) Flowing Max: 108.75 PSI (0.75MPa) Static
Water Surface	8-5/8" x 7-1/4"
Trap Diameter	2" (51 mm)
Trap Seal	2-1/8" (54 mm)
Warranty	Three Year Limited (Residential) One Year Limited (Commercial)
Material	Bowl: Vitreous China Seat + Cover: Plastic
Power Rating	AC 120 V, 60 Hz, 1283 W
Power Cord	3.9 ft (1.2m)
Rear Washing	Approx. 0.08 - 0.11 gal/min
Soft Washing	Approx. 0.08 - 0.11 gal/min
Front Washing	Approx. 0.08 - 0.11 gal/min
Wide Front Washing	Approx. 0.09 - 0.11 gal/min
Washing Spray Temperature	Approx. 86°F - 104°F (30°C - 40°C)
Safety Feature	Temperature Fuse
Drying Feature	Air Temperature: Approx. 95°F - 140°F (35°C - 60°C)
Airflow Volume	8.83 ft3/min
Dryer Safety Feature	Temperature Fuse
Seat Warming Feature	Surface Temperature: Approx. 82°F - 97°F (28°C - 36°C)
Seat Heater Capacity	470 W
Air Purifying Feature	O2 Deodorizer
Air Volume	5.65 ft3/min
Ambient Temperature Range	32°F - 104°F (0°C - 40°C)
Product Size	28-1/2" L x 16-1/8" W x 20-7/8" H
Product Weight	112 lbs
Floor to Seat Height	17-5/16" (440mm)
Shipping Weight	SN8732M: 21 lbs CT8732CUMFG: 106 lbs
Shipping Dimensions	SN8732M: 32-1/8" L x 19-1/8" W x 7-7/8" H CT8732CUMFG: 30-7/8" L x 16-3/8" W x 22-3/8" H

INSTALLATION NOTES

- For use with potable water only. Do not use with recycled water.
- Warning: If there is a base board in the restroom, the center of the floor drain should be a minimum of 12" from the base board.
- It is highly recommended to use a surge protector to prevent damage in the event of a power surge.
- The following factors may affect IR signal strength and top unit operation: product and remote control location, room size, shape, construction materials, and degree of darkness (color) of ceiling and walls.

**TOTO®**

These dimensions and specifications are subject to change without notice

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com | © TOTO USA

SS-02220 v.03



POLISHED NICKEL

KARTNERS
BATHROOM ACCESSORIES+

PRODUCT SPECIFICATION SHEET

FLORENCE
COLLECTION
GRAB BAR



12"	3229212
18"	3229218
24"	3229224
36"	3229236
42"	3229242

PRODUCT NAME: FLORENCE GRAB BAR

PRODUCT CODE: 12" 3229212
18" 3229218
24" 3229224
36" 3229236
42" 3229242

MATERIAL: All-brass construction


KEY FEATURES: Traditional design.
Round and elegant style.

STOCKED FINISHES: ● Polished Chrome (99)
● Brushed Nickel (81)
● Polished Nickel (68)

SPECIAL FINISHES AVAILABLE: 26 options available.
Please see our website for full list samples

WARRANTY:

Lifetime Limited (Residential Use)
One Year (Commercial Use)



NOTE: Dimensions and specifications are subject to change without notice.



POLISHED NICKEL

KARTNERS
BATHROOM ACCESSORIES+

PRODUCT SPECIFICATION SHEET

FLORENCE
COLLECTION
PIVOT TISSUE HOLDER
322158P



PRODUCT NAME: PIVOT TISSUE HOLDER

PRODUCT CODE: 3221538P

MATERIAL: All-brass construction

KEY FEATURES: Traditional design.
Round and elegant style.




STOCKED FINISHES:

- Polished Chrome (99)
- Brushed Nickel (81)
- Polished Nickel (68)
- Matte Black (48)
- New World Bronze(80)
- Polished Brass(72)

SPECIAL FINISHES AVAILABLE: 26 options available.
Please see our website for full list samples

WARRANTY:

Lifetime Limited (Residential Use)
One Year (Commercial Use)



NOTE: Dimensions and specifications are subject to change without notice.




POLISHED NICKEL

KARTNERS
BATHROOM ACCESSORIES+

PRODUCT SPECIFICATION SHEET

**FLORENCE
COLLECTION
TOWEL BAR 18"**
322180



PRODUCT NAME: TOWEL BAR 18"

PRODUCT CODE: 322180

MATERIAL: All-brass construction

KEY FEATURES: Traditional design.
Round and elegant style.


STOCKED FINISHES:

- Polished Chrome (99)
- Brushed Nickel (81)
- Polished Nickel (68)
- Matte Black (48)

SPECIAL FINISHES AVAILABLE: 26 options available.
Please see our website for full list samples

WARRANTY:

Lifetime Limited (Residential Use)
One Year (Commercial Use)



NOTE: Dimensions and specifications are subject to change without notice.




POLISHED NICKEL

5 QTY

KARTNERS
BATHROOM ACCESSORIES+

PRODUCT SPECIFICATION SHEET

**FLORENCE
COLLECTION**
DOUBLE ROBE HOOK
322132



PRODUCT NAME: DOUBLE ROBE HOOK

PRODUCT CODE: 322132

MATERIAL: All-brass construction

KEY FEATURES: Traditional design.
Round and elegant style.



STOCKED FINISHES:

- Polished Chrome (99)
- Brushed Nickel (81)
- Polished Nickel (68)
- Matte Black (48)
- New World Bronze(80)
- Polished Brass(72)

SPECIAL FINISHES AVAILABLE: 26 options available.
Please see our website for full list samples

WARRANTY:

Lifetime Limited (Residential Use)
One Year (Commercial Use)



NOTE: Dimensions and specifications are subject to change without notice.

VENDOR PART	VENDOR	DESCRIPTION	PAGE
HLS203-12N	WaterWorks	Henry Gooseneck Lavatory Faucet With Coin Edge Cross Handles - Nickel	67
GB-18x12-W	Nantucket Sinks	Great Point 18" X 12" Glazed Bottom Undermount Rectangle Ceramic Sink - White	70
251XXL-PN	Jaclo	1 ¼" Extra Long P Trap with Round Box Escutcheon - Polished Nickel	72
621-62CT-PN	Jaclo	Quarter Turn Angle Pattern 5/8" O.D. Compression x 3/8" O.D. Faucet Supply Kit Standard Cross Handle, 20" Supply Tubes, Cover Tubes, Escutcheons - Polished Nickel	74
2851A104.020	American Standard	Town Square S One Piece 1.28 Gpf / 4.8 Lpf Chair Height Elongated Toilet With Seat - White	76
9145-PN	Jaclo	Toilet Tank Trip Lever to Fit PORCHER & AMERICAN STANDARD - Polished Nickel	78
621-72CT-PN	Jaclo	Quarter Turn Angle Pattern 5/8" O.D. Compression x 3/8" O.D. Toilet Supply Kit Standard Cross Handle, 20" Supply Tube Cover Tube, Escutcheon - Polished Nickel	80
224151-68	Kartners	Windsor Toilet Paper Holder - Polished Nickel	82
224130-68	Kartners	Windsor Robe Hook - Polished Nickel	84



WATERWORKS

Henry Gooseneck Lavatory Faucet With Coin
Edge Cross Handles - Nickel

MODEL #: HLS203-12N



NANTUCKET SINKS

Great Point 18" X 12" Glazed Bottom
Undermount Rectangle Ceramic Sink - White

MODEL #: GB-18x12-W



JACLO

1 1/4" Extra Long P Trap with Round Box
Escutcheon - Polished Nickel

MODEL #: 251XXL-PN



JACLO

Quarter Turn Angle Pattern 5/8" O.D.
Compression x 3/8" O.D. Faucet Supply Kit
Standard Cross Handle, 20" Supply Tubes, Cover
Tubes, Escutcheons - Polished Nickel

MODEL #: 621-62CT-PN



AMERICAN STANDARD

Town Square S One Piece 1.28 Gpf / 4.8 Lpf
Chair Height Elongated Toilet With Seat - White


MODEL #: 2851A104.020



JACLO

Toilet Tank Trip Lever to Fit PORCHER &
AMERICAN STANDARD - Polished Nickel

MODEL #: 9145-PN



JACLO

Quarter Turn Angle Pattern 5/8" O.D.
Compression x 3/8" O.D. Toilet Supply Kit
Standard Cross Handle, 20" Supply Tube Cover
Tube, Escutcheon - Polished Nickel

MODEL #: 621-72CT-PN



KARTNERS

Windsor Toilet Paper Holder - Polished Nickel

MODEL #: 224151-68



KARTNERS

Windsor Robe Hook - Polished Nickel

MODEL #: 224130-68




WATERWORKS

HENRY

HLS203

Henry Gooseneck Lavatory Faucet with Coin Edge Cross Handles



SHOWN IN HENRY GOOSENECK LAVATORY FAUCET WITH COIN EDGE CROSS HANDLES | HLS203

TECHNICAL DETAILS

ADA Compliance: Yes
Deck Thickness Maximum: 1 9/16"
Deck Thickness Minimum: 5/16"
Drain Depth Maximum: 2"
Drain Depth Minimum: 3/8"
Drain Hole Diameter: 1 1/2"
Drain Style: Push Touch
Fittings Hole Diameter: 1 3/8"
Flow Restriction Options: 1.2
Handle Spread Maximum: 12"
Handle Spread Minimum: 8"
Handle Turn Angle: Quarter Turn
Inlet Connection Size: 1/2"
Inlet Connection Type: Male with Supply Nut
Number Of Holes: Three Hole
Primary Material: Brass
Restricted Maximum Flow Rate: 1.2 gpm
Spout Swivel: N
Valve Material: Brass and Ceramic
Water Pressure Maximum: 85.0 psi
Water Pressure Minimum: 20.0 psi
Water Pressure Recommended: 45.0 psi

INSPIRATION

Celebrating the connection of industry and art, Henry transitions effortlessly between modern, traditional, and classic settings. These iconic fittings blend 19th-century industrial and artistic references for a look that's forever of the moment—familiar yet wholly original.

CODES & STANDARDS

HLS203X, NSF/ANSI/CAN 61:Q < 1, NSF/ANSI/CAN 372, ASME A112.18.1/CSA B125.1, CEC, DOE, State of MA, NOM-012, WRAS

PRODUCT FEATURES

Coin Edge Cross Handles

Includes a Universal Push Touch Drain Sized to Fit US and Euro Sink Drain Openings

Stocked in Chrome, Nickel, Brass and Dark Nickel

Available in 1.2gpm (4.5L/min) Flow Rate

CERTIFICATIONS




PRODUCT (NOTES)

WATERWORKS

HENRY

HLS203

Henry Gooseneck Lavatory Faucet with Coin Edge Cross
Handles







WHITE

Great Point Collection

Vitreous China Bath Undermount Sinks



MODEL:
UM-18x12-W / UM-18x12-B



Overall Dimensions	Large Bowl	Interior Depth	Exterior Depth	Reverse Model
20.5 x 14.25"	18.375 x 12.25"	6.75"	8"	NA

FEATURES

- Nominal Dimensions - actual may vary by 1/4"
- Template not included - custom template required
- Vitreous China undermount with porcelain enamel glaze
- Limited Manufacturers Warranty
- With Overflow



PROJECT/ NAME:

ARCHITECT/CONTRACTOR:

MODEL:

JOB NOTES:



POLISHED NICKEL

JACLO.
Confidence from start to finish.™

1 1/4" Extra Long P Trap with Round Box Escutcheon
Model #: 251XXL-

FEATURES:


- 1 1/4" 17 gauge "P" trap with round box escutcheon & extra long wall bend
- Fits 1 1/4" drains, extension tubes & tailpieces
- All solid brass nuts, fully polished & plated
- 15" wall bend can be cut to required length
- For longer wall bend: 251WB24



AVAILABLE FINISHES:

Polished Chrome (PCH)	Satin Chrome (SC)	Bronze Umber (BU)
Satin Nickel (SN)	Pewter (PEW)	Caramel Bronze (CB)
Polished Nickel (PN)	Antique Brass (AB)	Antique Copper (ACU)
Oil-Rubbed Bronze (ORB)	Polished Brass (PB)	Polished Copper (PCU)
Vintage Bronze (VB)	Satin Brass (SB)	Rose Gold (RG)
Matte Black (MBK)	Satin Gold (SG)	Polished Gold (PG)
Black Nickel (BKN)	Bombay Gold (BG)	Jewelers Gold (JG)
Europa Bronze (EB)	White (WH)	Sedona Beige (SDB)
Tristan Brass (TB)	Unlacquered Brass (ULB)	Satin Cooper (SCU)

SPECIFICATION DRAWING:





POLISHED NICKEL

Quarter Turn Angle Pattern 5/8" O.D. Compression (Fits 1/2" Copper)
x 3/8" O.D. Faucet Supply Kit Standard Cross Handle, 20" Supply
Tubes, Cover Tubes, Escutcheons
Model #: 621-62CT-

JACLO.
Confidence from start to finish®

FEATURES:

- All kit components are available separately




AVAILABLE FINISHES:


Polished Chrome (PCH)	Satin Chrome (SC)	Bronze Umber (BU)
Satin Nickel (SN)	Pewter (PEW)	Caramel Bronze (CB)
Polished Nickel (PN)	Antique Brass (AB)	Antique Copper (ACU)
Oil-Rubbed Bronze (ORB)	Polished Brass (PB)	Polished Copper (PCU)
Vintage Bronze (VB)	Satin Brass (SB)	Matte Black (MBK)
Satin Gold (SG)	Polished Gold (PG)	Black Nickel (BKN)
White (WH)	Unlacquered Brass (ULB)	Satin Cooper (SCU)
Almond (ALD)	Amber (AMB)	Azure Blue (AZB)
Coral (COR)	Mint Green (GRN)	Stone Grey (GRY)
Lilac (LAC)	Light Blue (LBL)	Limon (LIM)
Plum (PLM)	Pink (PNK)	Red (RED)
Graphite (GPH)	Aged Unlacquered Brass (AUB)	

SPECIFICATION DRAWING:

COMPONENTS	
DESCRIPTION	QTY:
ANGLE VALVE - STANDARD CROSS HANDLE	2
3/8" O.D. SUPPLY TUBE	2
2 3/8" BELL ESCUTCHEON	2
5 1/4" COVER TUBE	2



AVAILABLE HANDLES:





WHITE

*American
Standard*

Town Square® S Right Height® Elongated One-Piece Toilet with Seat

Vitreous China

Town Square® S Right Height® Elongated One-Piece Toilet with Seat

- ❑ **2851A104**
 - LXP® (Luxury Performance) toilet
 - 12" (305 mm) rough-in
 - Right Height elongated siphon action bowl with smooth-sided, concealed trapway
 - High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
 - Meets EPA WaterSense® criteria
 - EverClean® surface included
 - PowerWash® rim scrubs bowl with each flush
 - 16-1/2" (419 mm) rim height for accessible applications
 - 2-1/8" (54 mm) trapway
 - 3" (76 mm) flush valve
 - Chrome trip lever is supplied
 - Includes slow-close seat and cover with easy lift-off feature
 - 1,000g MaP Score** at 1.28 gpf
 - 10-year warranty
 - Design coordinates with Town Square® S suite of fixtures and faucets

- ❑ **2851A105** Same as above except trip lever on right side

Nominal Dimensions:

30-1/4" x 16-1/8" x 30-9/16"
(768 x 416 x 776 mm)

Fixture only, supply sold separately


Compliance Certifications -

Meets or Exceeds the Following Specifications:

- ASME A112.19.2/CSA B45.1
- US EPA WaterSense® Specification for HETs

To Be Specified:

- ❑ Color: ❑ White ❑ Linen
- ❑ Supply with Stop:



NOTES:

THIS COMBINATION IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12") FROM FINISHED WALL TO C/L OF OUTLET. * DIMENSIONS SHOWN FOR LOCATION OF SUPPLY ARE SUGGESTED. SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES
AND ICC ANSI A117.1 REQUIREMENTS FOR ACCESSIBLE AND
USABLE BUILDING FACILITIES-CHECK LOCAL CODES.

** Maximum Performance (MaP) testing performed by
IAPMO R&T Lab. MaP Report conducted by Gauley
Associates Ltd. and Koeller and Company.



WATER
WATERSENSE® EFFICIENT
CERTIFIED

PART OF LIXIL

K1-2

© 2019 AS America Inc.

spec_2851A104_TownSqS_1pc-toilet_5/19



POLISHED NICKEL

Toilet Tank Trip Lever to Fit PORCHER & AMERICAN STANDARD

Model #: 9145-

JACLO
Confidence from start to finish®

FEATURES:


- Toilet tank "trip" lever to fit American Standard model: 738547 & 7381105
- Brass arm
- Fits American Standard Models: Town Square
- Fits Porcher Models: Chapeau one piece
- Not available in PB, PCU, PG, ULB




AVAILABLE FINISHES:

Polished Chrome (PCH)	Satin Chrome (SC)	Bronze Umber (BU)
Satin Nickel (SN)	Pewter (PEW)	Caramel Bronze (CB)
Polished Nickel (PN)	Antique Brass (AB)	Antique Copper (ACU)
Oil-Rubbed Bronze (ORB)	Polished Copper (PCU)	Vintage Bronze (VB)
Satin Brass (SB)	Matte Black (MBK)	Satin Gold (SG)
Black Nickel (BKN)	White (WH)	Satin Copper (SCU)
Almond (ALD)	Amber (AMB)	Azure Blue (AZB)
Coral (COR)	Mint Green (GRN)	Stone Grey (GRY)
Lilac (LAC)	Light Blue (LBL)	Limon (LIM)
Plum (PLM)	Pink (PNK)	Red (RED)
Graphite (GPH)	Aged Unlacquered Brass (AUB)	

SPECIFICATION DRAWING:






POLISHED NICKEL

Quarter Turn Angle Pattern 5/8" O.D. Compression (Fits 1/2" Copper)
x 3/8" O.D. Toilet Supply Kit Standard Cross Handle, 20" Supply Tube
Cover Tube, Escutcheon
Model #: 621-72CT-




- FEATURES:
- All kit components are available separately




- AVAILABLE FINISHES:
- | | | |
|-------------------------|------------------------------|-----------------------|
| Polished Chrome (PCH) | Satin Chrome (SC) | Bronze Umber (BU) |
| Satin Nickel (SN) | Pewter (PEW) | Caramel Bronze (CB) |
| Polished Nickel (PN) | Antique Brass (AB) | Antique Copper (ACU) |
| Oil-Rubbed Bronze (ORB) | Polished Brass (PB) | Polished Copper (PCU) |
| Vintage Bronze (VB) | Satin Brass (SB) | Matte Black (MBK) |
| Satin Gold (SG) | Polished Gold (PG) | Black Nickel (BKN) |
| White (WH) | Unlacquered Brass (ULB) | Satin Cooper (SCU) |
| Almond (ALD) | Amber (AMB) | Azure Blue (AZB) |
| Coral (COR) | Mint Green (GRN) | Stone Grey (GRY) |
| Lilac (LAC) | Light Blue (LBL) | Limon (LIM) |
| Plum (PLM) | Pink (PNK) | Red (RED) |
| Graphite (GPH) | Aged Unlacquered Brass (AUB) | |

SPECIFICATION DRAWING:

COMPONENTS	
DESCRIPTION	QTY:
ANGLE VALVE - STANDARD CROSS HANDLE	1
20" X 3/8" O.D. SUPPLY TUBE	1
ESCUTCHEON	1
PLASTIC FILL VALVE COUPLING NUT	1
5 1/4" COVER TUBE	1



AVAILABLE HANDLES:







KARTNERS

BATHROOM ACCESSORIES+

PRODUCT SPECIFICATION SHEET

WINDSOR COLLECTION TISSUE HOLDER 224151



PRODUCT NAME: TISSUE HOLDER

PRODUCT CODE: 224151



MATERIAL: All-brass construction

STOCKED FINISHES:


- Polished Chrome (99)
- Brushed Nickel (81)
- Polished Nickel (68)
- Unlacquered Brass (75)

SPECIAL FINISHES AVAILABLE: Please see our website for full list of samples

WARRANTY:
Lifetime Limited (Residential Use)
One Year (Commercial Use)



NOTE: Dimensions and specifications are subject to change without notice.



KARTNERS



BATHROOM ACCESSORIES+

PRODUCT SPECIFICATION SHEET

WINDSOR COLLECTION

ROBE HOOK


224130



PRODUCT NAME: ROBE HOOK

PRODUCT CODE: 224130

MATERIAL: All-brass construction




STOCKED FINISHES:

- Polished Chrome (99)
- Brushed Nickel (81)
- Polished Nickel (68)
- Unlacquered Brass (75)

SPECIAL FINISHES AVAILABLE: Please see our website for full list of samples

WARRANTY:

Lifetime Limited (Residential Use)
One Year (Commercial Use)



NOTE: Dimensions and specifications are subject to change without notice.